SAFETY DATA SHEET

Issuing Date 1-Dec-2013 Revision Date Revision Number 0

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Pipe Wrench BBQ Lighter

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Lighters

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Address

John Gibson Enterprises Inc 36 Zaca Lane, San Luis Obispo, California, 93401 US Phone:805-528-9730

Findle.805-526-9730 Fax:805-528-9731 Contact:Adam Olcott Contact Phone:805-528-9730 Emergency Phone: 800-633-8253

Emergency telephone number

Company Emergency Phone Number 800-633-8253

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

| Specific target organ toxicity (single exposure) | Category 3 |
|--|------------|
| Flammable gases | Category 1 |

GHS Label elements, including precautionary statements

Emergency Overview

Signal word Danger

Hazard statements

May cause respiratory irritation. May cause drowsiness or dizziness Extremely flammable gas



Appearance Translucent

Physical State Gas

Odor Rotten-egg like Pungent

Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Precautionary Statements - Response

Inhalation

IF INHAL ED: Remove victim to fresh air and keep a

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell

Fire

Leaking gas fire: Do not extinguish, unless leak can be stopped safely

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed Store locked up Store in a well-ventilated place

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not Applicable

Unknown Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

Other information

No information available.

<u>Interactions with Other Chemicals</u> Use of alcoholic beverages may enhance toxic effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS-No | Weight % | Trade Secret |
|---------------|----------|----------|--------------|
| N-Butane | 106-97-8 | 60 - 100 | * |

^{*} The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

General Advice In case of injury caused by fire: Flush with plenty of water immediately. Continue flushing

during transport to hospital or medical center In the case of skin irritation or allergic reactions

see a physician

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a

physician.

Skin ContactClothing frozen to the skin should be thawed before being removed. In case of contact with

liquefied gas, thaw frosted parts with lukewarm water. Wash off with warm water and soap. IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before

removing clothes

Inhalation Move to fresh air. If not breathing, give artificial respiration. Administer oxygen if breathing is

difficult and you are trained.

Ingestion Not an expected route of exposure. Drink plenty of water. Do NOT induce vomiting. Consult a

physician.

Protection of First-aiders Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects No information available.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry chemical. Carbon dioxide (CO₂).

Unsuitable Extinguishing Media

Do not use a solid water stream as it may scatter and spread fire. DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS LEAK CAN BE STOPPED.

Specific Hazards Arising from the Chemical

Will be easily ignited by heat, sparks or flames. Will form explosive mixtures with air. Vapors from liquefied gas are initially heavier than air and spread along ground. Vapors may travel to source of ignition and flash back. Ruptured cylinders may rocket.

Uniform Fire Code Compressed Gas: Flammable

Irritant: Gas

Propane/Liquefied Petroleum Gas

<u>Hazardous Combustion Products</u>

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact No
Sensitivity to Static Discharge Yes

Protective Equipment and Precautions for Firefighters

DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS LEAK CAN BE STOPPED Move containers from fire area if you can do it without risk.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). All

equipment used when handling the product must be grounded. Do not touch or walk through

spilled material. Stop leak if you can do it without risk.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental PrecautionsUse water spray to reduce vapors or divert vapor cloud drift. Avoid allowing water runoff to

contact spilled material. Prevent spreading of vapors through sewers, ventilation systems and

confined areas.

Methods and material for containment and cleaning up

Methods for Containment If possible, turn leaking containers so that gas escapes rather than liquid. Isolate area until gas

has dispersed.

Methods for Cleaning Up Do not direct water at spill or source of leak.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

eyes. Avoid breathing vapors or mists. Keep away from open flames, hot surfaces and sources

of ignition. Contents under pressure. Do not puncture or incinerate cans.

Conditions for safe storage, including any incompatibilities

Storage Keep out of the reach of children. Keep in properly labeled containers. Keep containers tightly

closed in a dry, cool and well-ventilated place. Keep in an area equipped with sprinklers

Incompatible ProductsNo materials to be especially mentioned.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|---------------|---------------|---------------------------------------|-----------------------------|
| N-Butane | TWA: 1000 ppm | (vacated) TWA: 800 ppm | TWA: 800 ppm |
| 106-97-8 | | (vacated) TWA: 1900 mg/m ³ | TWA: 1900 mg/m ³ |

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection No special protective equipment required.

Skin and Body ProtectionNo special protective equipment required.

Respiratory Protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical State Gas

AppearanceTranslucentOdorRotten-egg like PungentColorNo information availableOdor ThresholdNo information available

| 9. PHYSICAL AND CHEMICAL PROPERTIES | | | |
|---|--|---|--|
| Property pH Melting/freezing point Boiling Point/Range Flash Point Evaporation rate Flammability (solid, gas) Flammability Limits in Air | Values No data available No data available | Remarks/ Method None known | |
| Upper flammability limit Lower flammability limit | No data available No data available | | |
| Vapor pressure Vapor density Specific Gravity Water Solubility Solubility in other solvents Partition coefficient: n-octanol/water Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive Properties Oxidizing Properties | No data available No data available No data available Liquid No data available | None known | |
| Other Information Softening Point VOC Content (%) | No data available No data available | | |

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under normal conditions. Heating may cause an explosion

Possibility of Hazardous Reactions

Hazardous polymerization does not occur

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Extremes of temperature and direct sunlight. Keep away from open flames, hot surfaces and sources of ignition.

Incompatible materials

No materials to be especially mentioned.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Product does not present an acute toxicity hazard based on known or supplied information.

Inhalation There is no data available for this product.

Eye Contact There is no data available for this product.

Skin Contact There is no data available for this product.

Ingestion There is no data available for this product.

| Chemical Name | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|---------------|-----------|-------------|----------------------------------|
| N-Butane | - | - | = 658 g/m ³ (Rat) 4 h |
| 106-97-8 | | | _ ` ` ' |

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenicity Contains no ingredient listed as a carcinogen.

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Chronic Toxicity Prolonged exposure may cause chronic effects. Intentional misuse by deliberately

concentrating and inhaling contents may be harmful or fatal.

Target Organ EffectsCentral nervous system (CNS).

Aspiration Hazard No information available.

Numerical measures of toxicity Product Information

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste Disposal Methods

This material, as supplied, is a hazardous waste according to federal regulations (40 CFR

261).

Contaminated PackagingDo not re-use empty containers. Dispose of in accordance with local regulations.

US EPA Waste Number D001

California Hazardous Waste Codes 213

14. TRANSPORT INFORMATION

DOT

Proper Shipping Name CONSUMER COMMODITY

Hazard Class ORM-D

Subsidiary Class

Packing Group None

Description CONSUMER COMMODITY, ORM-D

Emergency Response Guide 115

Number

TDG

UN-No UN1057

Proper Shipping Name LIGHTER REFILLS

Hazard Class 2.1

Description UN1057, LIGHTER REFILLS, 2.1

MEX

UN-No UN1057
Proper Shipping Name UN1057
LIGHTERS

Hazard Class 2.1

Description UN1057 LIGHTERS, 2.1

ICAO

UN-No UN1057
Proper Shipping Name UN1057
LIGHTERS

Hazard Class 2.1

Description UN1057, LIGHTERS, 2.1

<u>IATA</u>

UN-No UN1057
Proper Shipping Name UN1057
LIGHTERS

Hazard Class 2.1

Description UN1057, LIGHTERS, 2.1

IMDG/IMO

UN-No UN1057
Proper Shipping Name UN1057
LIGHTERS

14. TRANSPORT INFORMATION

Hazard Class 2.1 EmS No. F-D, S-U

Description UN1057, LIGHTERS, 2.1

RID

UN-No UN1057
Proper Shipping Name LIGHTERS

Hazard Class 2.1 Classification Code 6F

Description UN1057 LIGHTERS, 2.1

ADR

UN-No UN1057
Proper Shipping Name UN1057
LIGHTERS

Hazard Class 2.1 Classification Code 6F

Description UN1057 LIGHTERS, 2.1

<u>ADN</u>

UN-No UN1057

Proper Shipping Name LIGHTERS

Hazard Class 2.1 **Classification Code** 6F

Special Provisions 201, 654, 658

Description UN1057 LIGHTERS, 2.1

Hazard Labels 2.1 Limited Quantity 0 Ventilation VE01

15. REGULATORY INFORMATION

International Inventories

TSCA Complies

DSL All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard No
Chronic Health Hazard No
Fire Hazard Yes
Sudden Release of Pressure Hazard Yes
Reactive Hazard No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|---------------|------------|---------------|--------------|
| N-Butane | X | X | X |
| 106-97-8 | | | |

International Regulations

Mexico - Grade

No information available.

| Chemical Name | Carcinogen Status | Exposure Limits |
|---------------|-------------------|------------------------------------|
| N-Butane | | Mexico: TWA 800 ppm |
| | | Mexico: TWA 1900 mg/m ³ |

Canada

WHMIS Hazard Class

D2B Toxic materials A Compressed gases B5 Flammable aerosol



16. OTHER INFORMATION

NFPA Health Hazard 1 Flammability 4 Instability 0 Physical and Chemical

Hazards -

Health Hazard 1 Flammability 4 Physical Hazard 0 Personal Protection X

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Issuing Date 20-Nov-2013

Revision Date

Revision Note No information available

Revision Date

21253 - Pipe Wrench BBQ Lighter

General Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet
